

Configuration du NTP

Network Time Protocol

Introduction

Pour effectuer une synchronisation NTP, il faut tout d'abord que le switch puisse aller sur internet

```
-> ip interface "vlan1" address 192.168.10.100 mask 255.255.255.0 vlan 1 ifindex 1
-> ip static-route 0.0.0.0/0 gateway 192.168.10.1 metric 1
```

Passons à la configuration du NTP

```
-> ntp server 194.2.0.28 prefer
-> ntp server 38.229.59.9
-> ntp server enable
-> ntp server synchronised
```

Configuration de la timezone

```
-> system timezone CET
-> system daylight savings time start last sunday in march at 02:00 end last sunday in october
at 03:00
-> system daylight savings time enable
```

ou

```
-> system timezone +01:00
-> system daylight savings time start last sunday in march at 02:00 end last sunday in october
at 03:00
-> system daylight savings time enable
```

Vérification

```
-> show ntp server status
IP address           = 38.229.59.9,
Host mode            = client,
Peer mode            = server,
Prefer               = yes,
```

Version = 4,
Key = 0,
Stratum = 2,
Minpoll = 6 (64 seconds),
Maxpoll = 10 (1024 seconds),
Delay = 0.167 seconds,
Offset = 660733522.277 seconds,
Dispersion = 0.953 seconds
Root distance = 0.083,
Precision = -20,
Reference IP = 172.16.21.35,
Status = configured : reachable : rejected,
Uptime count = 1402 seconds,
Reachability = f,
Unreachable count = 0,
Stats reset count = 1043 seconds,
Packets sent = 6,
Packets received = 4,
Duplicate packets = 0,
Bogus origin = 0,
Bad authentication = 0,
Bad dispersion = 0,
Last Event = peer changed to reachable,

IP address = 194.2.0.28,
Host mode = client,
Peer mode = server,
Prefer = no,
Version = 4,
Key = 0,
Stratum = 2,
Minpoll = 6 (64 seconds),
Maxpoll = 10 (1024 seconds),
Delay = 0.017 seconds,
Offset = 660733522.272 seconds,
Dispersion = 1.952 seconds
Root distance = 0.000,
Precision = -23,
Reference IP = 172.19.123.3,

```
Status          = configured : reachable : rejected,  
Uptime count    = 1402 seconds,  
Reachability    = 7,  
Unreachable count = 0,  
Stats reset count = 1261 seconds,  
Packets sent    = 3,  
Packets received = 3,  
Duplicate packets = 0,  
Bogus origin    = 0,  
Bad authentication = 0,  
Bad dispersion  = 0,  
Last Event      = peer changed to reachable,
```

et

```
-> show ntp client  
Current time:          Wed, Dec 8 2021  9:47:58.667 (UTC),  
Last NTP update:      Wed, Dec 8 2021  9:47:28.033 (UTC),  
Server reference:     38.229.59.9,  
Client mode:          enabled,  
Broadcast client mode: disabled,  
Broadcast delay (microseconds): 4000,  
Server qualification:  synchronized
```

Il est aussi possible de régler l'heure et la date à la main

```
-> system date 08/12/2021  
-> system time 10:48:00
```

Supprimer un serveur NTP :

```
-> no ntp server 194.2.0.28 prefer
```

Revision #1

Created 12 March 2024 12:03:13 by Dunnload

Updated 12 March 2024 12:03:19 by Dunnload